



MATERIAL SAFETY DATA SHEET

MSDS066

SECTION I - PRODUCTION IDENTIFICATION

PRESSURE SENSITIVE ADHESIVE (PSA)

MANUFACTURER:

NEWTEX INDUSTRIES, INC.
8050 Victor-Mendon Road
Victor, New York 14564
(585) 924-9135

SECTION II - INGREDIENTS

The above products are considered "articles" according to OSHA Hazard Communication Standard 29 CFR 1910.1200 and, as such, are exempt from the Material Safety Data Sheet provisions of 29 CFR 1910.1200(G)(6). As a service to the customer, Newtex Industries Inc. has prepared this Material Safety Data Sheet to provide appropriate safety and handling information. These products are considered non-hazardous when used according to accepted practices for the intended use.

<u>COMMON NAME:</u>	<u>CAS No.</u>	<u>WT. %</u>
Proprietary Adhesive	N/A	37-45
Carrier	N/A	8-10
Release Liner	N/A	46-56

SECTION III - HAZARD IDENTIFICATION

Emergency Overview

No unusual conditions are expected from this product.

PRIMARY ROUTES OF ENTRY:

- Inhalation: No adverse effects anticipated by this route of exposure.
- Skin: No adverse effects anticipated when proper handling and safety precautions are observed.
- Eyes: May cause a physical irritation to the eye.
- Ingestion: No adverse effects anticipated when proper handling and safety precautions are observed.

Newtex Industries, Inc. Main Office: 8050 Victor-Mendon Rd., Victor, NY 14564-9109, Phone (585) 924-9135, Fax (585) 924-4645
E-Mail: sales@newtex.com; Internet address: www.newtex.com



MATERIAL SAFETY DATA SHEET

MSDS066

EFFECTS OF OVEREXPOSURE:

Acute: N/A
Chronic: N/A

SECTION IV – FIRST AID

INHALATION: No adverse effects anticipated by this route of exposure.
SKIN: Wash any material off skin with mild soap and cool water. Do not rub or scratch irritated areas. Seek medical attention if irritation persists.
EYES: Flush with water for at least 5 minutes. Seek medical attention if irritation persists.
INGESTION: Not expected to occur. Should ingestion take place, the person should be watched for several days to ensure intestinal blockage does not occur.

SECTION V - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED): N/A
FLAMMABLE LIMIT: LEL: N/A UEL: N/A
AUTO IGNITION TEMPERATURE: >1000°F
UNUSUAL FIRE AND EXPLOSIVE HAZARDS: None
EXTINGUISHING MEDIA: Water, Foam, Carbon Dioxide, Dry Chemical.
SPECIAL FIRE FIGHTING PROCEDURES: None
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, unknown hydrocarbons.

SECTION VI - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Land Spill: Material is a solid. Pick up the larger pieces and wet sweep or vacuum up any scrapes. Place in a suitable container for disposal as a non-hazardous waste.
Water Spill: This material will sink and disperse along the bottom of waterways and ponds. Large pieces should be removed and placed in a suitable container for disposal.
Air Release: The material will settle out of the air where it can be cleaned as a land spill.

SECTION VII – HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING: For maximum comfort, avoid excessive contact with skin and use good personal hygiene.
OTHER PRECAUTIONS: Keep areas clean to avoid contamination of product.
STORAGE TEMPERATURE: Keep away from heat sources which will dry out the adhesive.

Newtex Industries, Inc. Main Office: 8050 Victor-Mendon Rd., Victor, NY 14564-9109, Phone (585) 924-9135, Fax (585) 924-4645
E-Mail: sales@newtex.com; Internet address: www.newtex.com

SECTION VIII – EXPOSURE CONTROL/ PERSONAL PROTECTION

EXPOSURE GUIDELINES: None established at this time.
RECOMMENDED PPE:
Clothing Requirements: None
Glove Requirements: None
Wash Requirements: None
Skin Protection: No special requirements should be necessary
Eye Protection: No special requirements should be necessary
Respiratory Protection: No special requirements should be necessary
Ventilation Protection: No special requirements should be necessary

SECTION IX - PHYSICAL DATA

BOILING POINT: Not Applicable
VISCOSITY: Not Applicable
SOLUBILITY IN WATER: Not Applicable
VAPOR DENSITY (Air=1): Not Applicable
VAPOR PRESSURE (mm Hg): Not Applicable
EVAPORATION RATE (Butyl Acetate=1): Not Applicable
PHYSICAL STATE: Solid
APPEARANCE AND ODOR: Adhesive film, slight amber color. Characteristic slight organic odor.

SECTION X - REACTIVITY DATA

STABILITY: Stable
CONDITIONS TO AVOID: None known
INCOMPATIBILITY: None known
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Oxides of carbon, unknown hydrocarbons.
HAZARDOUS POLYMERIZATION: Will not occur

SECTION XI - TOXICOLOGICAL INFORMATION

No adverse effects anticipated when proper handling and safety precautions are observed.

SECTION XII - ECOLOGICAL INFORMATION

PSA is generally considered to be an inert solid waste. This material is not expected to cause harm to animals, plants or fish. No special precautions are needed in case of a release or spill.

Newtex Industries, Inc. Main Office: 8050 Victor-Mendon Rd., Victor, NY 14564-9109, Phone (585) 924-9135, Fax (585) 924-4645
E-Mail: sales@newtex.com; Internet address: www.newtex.com



MATERIAL SAFETY DATA SHEET

MSDS066

SECTION XIII – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Waste material must be disposed of in accordance with Federal, State, Provincial and local environmental control regulations.

The information herein is given in good faith, but no warranty, expressed or implied is made and we assume no liability from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.