



ASBESTOS-FREE PROTECTION WITH EXTRA PERFORMANCE

S099

PRODUCT SPECIFICATION
STYLE 600
ZETEXPLUS

GENERAL DESCRIPTION: 600 ZP fabric is made from highly texturized silica yarn and has a proprietary high temperature treatment. The base fabric meets the requirements of military standard MIL-C-20079 (H).

APPLICATIONS: Typical applications include high temperature expansion joints, curtains, blankets, pipe lagging, insulation pads, safety barriers, garments, protective shields, and valve covers. Typical industries include shipyards, thermal and nuclear power plants, refineries and petro-chemical industries, filtration, steel, aluminum, copper and other basic metal industries.

PHYSICAL PROPERTIES:

Weight:	20 Oz./Square Yard
Construction: Warp x Fill	20 x 14
*Thickness:	0.035"
Weave:	Plain
*K Factor:	0.3385
Temperature:	Continuous temperatures to 1500°F (815°C) and 2000°F (1093°C) for short duration temperatures.

CHEMICAL RESISTANCE: Resists most acids, alkalis and solvents, with the exception of hydrofluoric acid and corrosive environments at elevated temperatures.

AVAILABLE TREATMENT: Proprietary high temperature treatment, which provides outstanding abrasion and better molten metal splash resistance, is standard. This treatment improves the ability to cut, sew, handle the product, and significantly reduces airborne fibers and unraveling. Other colors available upon request.

ORDERING INFORMATION:

Length of Roll:	50 Yards
Standard Width:	40" - 60"

* For base fabric

**Minimum order requirement may be needed.

Revision # 1
Last Modified on 12/18/03 12:30 PM
Approved by Suresh Deshpande