



ASBESTOS-FREE PROTECTION WITH EXTRA PERFORMANCE

**S115**

PRODUCT SPECIFICATION  
STYLE 800  
ZETEXPLUS

**GENERAL DESCRIPTION:** 800 ZP fabric is made from highly texturized silica yarn and have a proprietary high temperature treatment.

**APPLICATIONS:** Typical applications include high temperature expansion joints, curtains, blankets, and drop cloths for light to medium industrial applications. Typical industries include thermal and nuclear power plants, refineries and petro-chemical industries, filtration, steel, aluminum, copper and other basic metal industries, turbine insulation, heat treating, stress relieving, automotive and industrial maintenance.

**PHYSICAL PROPERTIES:**

Weight:	25.5 Oz./Square Yard
Construction: Warp x Fill	20 x 8
*Thickness:	.060"
Weave:	Plain
*K Factor:	0.3385
Temperature:	Continuous temperatures to 1500°F (815°C) and 2000°F (1093°C) for short duration temperatures.

**CHEMICAL RESISTANCE:** Resists most acids, alkalies and solvents, with the exception of hydrofluoric acid and corrosive environments at elevated temperatures.

**AVAILABLE TREATMENT:** Proprietary high temperature treatment, which provides outstanding abrasion and better molten metal splash resistance, is standard. This treatment improves the ability to cut, sew, handle the product, and significantly reduces airborne fibers and unraveling. Other colors available upon request.

**ORDERING INFORMATION:**

Length of Roll:	50 Yards
Standard Width:	40" - 60"

\* For base fabric

Revision # 1  
Last Modified on 12/23/03 1:15 PM  
Approved by Suresh Deshpande